

Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

• Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) <u>WILAPLAT gold plating bath 750 SC (4g Au/l)</u>, WILAPLAT gold plating <u>bath 750 SCI (4g Au/l)</u>

- · Article number: 3080100602, 3080100802
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- \cdot Application of the substance / the preparation <code>Galvanic</code> bath
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Wieland Edelmetalle GmbH Schwenninger Str. 13 75179 Pforzheim Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100

- Further information obtainable from: Wieland Edelmetalle GmbH www.wieland-edelmetalle.de msds@wieland-edelmetalle.de
 Emergency telephone number: GIZ-Nord, Göttingen, Germany
- +49 551 19240 Member of EPECS Network

2 Hazards identification

	n of the substan n according to l	nce or mixture Regulation (EC) No 1272/2008
GI	HS08 health haza	urd
Carc. 1B	H350i M	lay cause cancer by inhalation.
Repr. 1B	H360F M	lay damage fertility.
\checkmark	HS09 environme	
Aquatic Chro	onic 2 H411 T	oxic to aquatic life with long lasting effects.
GI	HS07	
Acute Tox. 4	H302 H	armful if swallowed.
Acute Tox. 4		armful in contact with skin.
Acute Tox. 4	H332 H	armful if inhaled.
• Classificatio		Directive 67/548/EEC or Directive 1999/45/EC
R49-60:	May cause can	cer by inhalation. May impair fertility.
Xn; Ha	rmful	
R20/21/22:	Harmful by inh	alation, in contact with skin and if swallowed.
N; Dan	gerous for the en	vironment
	-	(Contd. on page 2)



Printing date 31.10.2013

Version number 1

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)



3 Composition/information on ingredients

 \cdot Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 2) · Dangerous components: CAS: 77-92-9 citric acid 5-10% EINECS: 201-069-1 🗙 Xi R36 (1) Eye Irrit. 2, H319 CAS: 10124-43-3 cobalt sulphate $\leq 1\%$ 😡 T Repr. Cat. 2 R49-60; 🗙 Xn R22-68; 🗙 Xn R42/43; 🌄 N R50/53 EINECS: 233-334-2 Carc. Cat. 2, Muta. Cat. 3 & Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350i; Repr. 1B, H360F; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; (1) Acute Tox. 4, H302; Skin Sens. 1, H317 CAS: 13967-50-5 potassium dicyanoaurate ≤1% EINECS: 237-748-4 😡 T+ R26/27/28; 🗙 Xi R38-41; 🏪 N R50/53 R32 left Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; 📀 Met. Corr.1, H290; Eye Dam. 1, H318; 🏠 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; **()** Skin Irrit. 2, H315 · SVHC 10124-43-3 cobalt sulphate

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- Call a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture Hydrogen cyanide (HCN)

(Contd. on page 4)

GB



Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 3)

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Open and nandle receptacle with c

Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one common storage facility:

Storage class 6.1 D (Not combustible, acutely toxic Cat. 3 or chronic effecting substances)

Only substances of the same storage class should be stored together.

- Collocated storage with the following substances is prohibited:
- Pharmaceuticals, foods, and animal feeds including additives.
- Infectious, radioactive und explosive substances.
- Gases.
- Other explosive substances of storage class 4.1A.
- Strongly oxidizing substances of storage class 5.1A.
- Ammonium nitrate and preparations containing ammonium nitrate.
- Organic peroxides and self reactive substances.

Under certain conditions the collocated storage with the following sub-stances is permitted (For more details see TRGS 510):

- Flammable liquids of storage class 3.
- Flammable solid substances or desensitized substances of storage class 4.1B.
- Spontaneously flammable substances.
- Substances liberating flammable gases in contact with water.
- Oxidizing substances of storage class 5.1B.

The substance should not be stored with substances with which hazardous chemical reactions are possible.

• Further information about storage conditions:

Keep receptacle tightly sealed.

Store under lock and key and with access restricted to technical experts or their assistants only.

- Storage class: 6.1D
- \cdot Specific end use(s) No further relevant information available.

(Contd. on page 5)



Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 4)

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

10124-43-3 cobalt sulphate

WEL Long-term value: 0.1 mg/m³

Carc, Sen

· DNELs

13967-50-5 potassium dicyanoaurate

Oral	DNEL(Com.)longterm	0.05 mg/kg (-) (CN)
	DNEL(Comm.)akut	4.5 mg/kg (-) (CN)
		0.05 mg/kg (-) (CN)
	DNEL(Industrie) akut	4.5 mg/kg (-) (CN)

· PNECs

13967-50-5 potassium dicyanoaurate

PNEC (Commercial) 0.03 µg/l (H2O) (CN)

PNEC (Industrie) $0.03 \ \mu g/l \ (H2O) \ (CN)$

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation. Filter B

· Protection of hands:



Protective gloves

- · Material of gloves
- Chloroprene rubber, CR Butyl rubber, BR
- Fluorocarbon rubber (Viton) Nitrile rubber, NBR
- · Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. Value for the permeation: Level ≤ 6

- \cdot Not suitable are gloves made of the following materials:
- Strong material gloves
- Leather gloves

(Contd. on page 6)

GB



Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 5)

· Eye protection:



×

Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical properties				
 Information on basic physical General Information Appearance: 	and chemical properties			
Form:	Fluid			
Colour:	Pink			
· Odour:	Characteristic			
· pH-value at 20 °C:	3.8			
 Change in condition Melting point/Melting range Boiling point/Boiling range: 	: Undetermined. 100 °C			
· Flash point:	Not applicable.			
· Ignition temperature:	1010 °C			
· Self-igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
 Explosion limits: Oxidizing properties 	None			
· Vapour pressure at 20 °C:	23 hPa			
· Density at 20 °C:	1.08 g/cm ³			
· Solubility in / Miscibility with water:	Fully miscible.			
 Solvent content: Organic solvents: Water: Other information 	0.0 % 84.5 % No further relevant information available.			

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Develops toxic gases/fumes.
- \cdot Conditions to avoid No further relevant information available.
- \cdot Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Hydrogen cyanide (prussic acid)

(Contd. on page 7)

GB



Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 6)

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

- · LD/LC50 values relevant for classification:
- 10124-43-3 cobalt sulphate

Oral LD50 582 mg/kg (rat)

13967-50-5 potassium dicyanoaurate

- Oral LD50 29 mg/kg (rat)
- Dermal LD50 100 mg/kg (human) (CN)
- Inhalative LC50 524 mg/kg (10min) (human) (HCN)
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- \cdot Sensitization: Sensitization possible through skin contact.
- \cdot Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
- Harmful
- Irritant

Carcinogenic if inhaled.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Carc. 1B, Repr. 1B

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

13967-50-5 potassium dicyanoaurate

- EC50 0.041 mg/l (48h) (Daphnia magna (water flea)) (CN)
 - 1.8 mg/l (72h) (Eutosiphon sulcatum) (CN)
- IC50 0.03 mg/l (8d) (Sc.quadricauda) (CN)
- LC50 0.12 mg/l (96h) (Pimephales promelas (fathead minnow)) (CN)
 - 0.083 mg/l (96h) (Lepomis macrochirus (bluegrill)) (CN)
 - 0.057 mg/l (96h) (Onchorhynchus mykiss (rainbow trout)) (CN)
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:
- Harmful to aquatic organisms
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.



Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

(Contd. of page 7)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Contact manufacturer for recycling information. Must be specially treated adhering to official regulations.

- · Uncleaned packaging:
- · Recommendation:

*

- Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	
ADR, IMDG, IATA	UN3082
UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC
IMDG	LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate) ENVIRONMENTALLY HAZARDOUS SUBSTANC
IMDG	LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate
	MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC
	LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate)
Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances and articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
Packing group	
ADR, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
	Symbol (tish and trac)



Printing date 31.10.2013

Version number 1

Revision: 31.10.2013

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

	(Contd. of page 8
 Special precautions for user Danger code (Kemler): 	Warning: Miscellaneous dangerous substances and articles. 90
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Transport category	3
· Tunnel restriction code	E
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium dicyanoaurate, nickel carbonate), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- 10124-43-3 cobalt sulphate
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H290 May be corrosive to metals.
- H300 Fatal if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350i May cause cancer by inhalation.
- H360F May damage fertility.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.
- R32 Contact with acids liberates very toxic gas.
- R36 Irritating to eyes.

(Contd. on page 10)



Printing date 31.10.2013

R38

R41

R49 R50/53

R60

R68

R42/43

Version number 1

Revision: 31.10.2013

(Contd. of page 9)

Trade name: Glanzgoldplattierbad 750 SC (4g Au/l), Glanzgoldplattierbad SCI (4g Au/l) WILAPLAT gold plating bath 750 SC (4g Au/l), WILAPLAT gold plating bath 750 SCI (4g Au/l)

Risk of serious damage to eyes. May cause sensitisation by inhalation and skin contact. May cause cancer by inhalation. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of irreversible effects. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

Irritating to skin.

May impair fertility.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

· Contact: Herr Marcus Müller · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

• * Data compared to the previous version altered.