

DSG RANGE

**STATION FOR POLISHING AND OTHER FINISHING
OPERATIONS**

CUSTOMISABLE AND CONFIGURABLE

NEW SUCTION AND FILTERING SYSTEM

+20% MORE POWER

–6 DECIBELS LOWER


–17% SMALLER FOOTPRINT



Ergonomic

An expressive design, with sleek lines and optimised floor space requirement.

DSG range polishing stations meet the ergonomic standards in force, and provide a work space suited to current requirements.



Performance

The quality of our motors and reliability of our equipment are the ingredients in a recipe which has been a hit for more than 50 years.


With the DSG range, CREVOISIER offers a polishing station of unequalled performance.



Major innovation

The new CREVOISIER suction and filtering system provides 20% more power than the previous version, while reducing the noise level at your workstation to 57 decibels.

Dimensions



Technical data

C5100 MACHINES

Built-in spindle motor	2.1 kW
Touchscreen	high definition
Speed range	100 to 6000 min ⁻¹
Centre point height	170 mm
Noise level	1000 rpm =>48 dB
	300 rpm =>51 dB
Voltage	3x400V/3x230V/1x230V
Compatibility with CREVOISIER tooling range	

SUCTION

Autonomous	speed 4-18m/s
Filtration	access via the front

OTHER MACHINES AVAILABLE:

- C510
- C501
- C5001