

III BECOTECHNIC

Safety Data Sheet

according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

#111 Ultrasonic Watch Cleaning Solution

Further trade names

#111 Ultrasonic Watch Cleaning Solution

UFI:

FPDM-S67S-7X0V-DS59

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent Ammoniated watch cleaning solution Reserved for industrial and professional use.

Uses advised against

Only use for the intended purpose.

1.3. Details of the supplier of the safety data sheet

| L&R Manufacturing Company |
|--|
| 577 Elm Street, P.O. Box 607 |
| Kearny, NJ 07032-0607 USA |
| |
| Beco Technic GmbH |
| Hermsdorfer Straße 5 |
| D-21502 Geesthacht |
| +49 4152 80960 |
| service@beco-technic.com |
| http://www.beco-technic.com |
| Giftnotrufzentrale Nord: Aus dem Ausland / From abroad:+49 551-19240 |
| |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 STOT RE 1; H372 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements


Regulation (EC) No 1272/2008

Hazard components for labelling

stoddard solvent Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics 1-aminopropan-2-ol ammonia **Signal word:** Danger



according to Regulation (EC) No 1907/2006



The components in this mixture do not meet the criteria for classification as PBT or vPvB. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 3 of 13

Hazardous components

| | Chemical name | | | | |
|--|--|---|---|--|--|
| EC No | Index No | REACH No | | | |
| Classification (Regulation (EC) No | 1272/2008) | | | | |
| stoddard solvent; Low boiling point | naphtha - unspecified | | 60-65 % | | |
| 232-489-3 | 649-345-00-4 | 01-2120261965-45 | | | |
| Flam. Liq. 3, Skin Irrit. 2, STOT RE H412 | 1, Asp. Tox. 1, Aquatic Chronic 3; F | 1226 H315 H372 H304 | | | |
| Hydrocarbons, C7-C9, n-alkanes, is | soalkanes, cyclics | | 15-20 % | | |
| 920-750-0 | | 01-2119473851-33 | | | |
| Flam. Liq. 2, STOT SE 3, Asp. Tox. | 1304 H411 EUH066 | | | | |
| 2-(propyloxy)ethanol; EGPE | | 1-5 % | | | |
| 220-548-6 | 603-095-00-2 | | | | |
| Flam. Liq. 3, Acute Tox. 4, Eye Irrit. | 2; H226 H312 H319 | | | | |
| 1-aminopropan-2-ol; isopropanolam | nine | | <2,5 % | | |
| 201-162-7 | 603-082-00-1 | | | | |
| Acute Tox. 4, Skin Corr. 1B, Eye Da | am. 1; H312 H314 H318 | | | | |
| ammonia | | <2,5 % | | | |
| 215-647-6 | 007-001-01-2 | | | | |
| Skin Corr. 1B, Aquatic Acute 1; H31 | 14 H400 | | | | |
| | Classification (Regulation (EC) No stoddard solvent; Low boiling point 232-489-3 Flam. Liq. 3, Skin Irrit. 2, STOT RE H412 Hydrocarbons, C7-C9, n-alkanes, is 920-750-0 Flam. Liq. 2, STOT SE 3, Asp. Tox. 2-(propyloxy)ethanol; EGPE 220-548-6 Flam. Liq. 3, Acute Tox. 4, Eye Irrit. 1-aminopropan-2-ol; isopropanolarr 201-162-7 Acute Tox. 4, Skin Corr. 1B, Eye Da ammonia 215-647-6 | Classification (Regulation (EC) No 1272/2008) stoddard solvent; Low boiling point naphtha - unspecified 232-489-3 649-345-00-4 Flam. Liq. 3, Skin Irrit. 2, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 3; H H412 Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics 920-750-0 Flam. Liq. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H336 H 2-(propyloxy)ethanol; EGPE 220-548-6 603-095-00-2 Flam. Liq. 3, Acute Tox. 4, Eye Irrit. 2; H226 H312 H319 1-aminopropan-2-ol; isopropanolamine 201-162-7 603-082-00-1 Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H312 H314 H318 ammonia | Classification (Regulation (EC) No 1272/2008) Image: Classification (Regulation (EC) No 1272/2008) stoddard solvent; Low boiling point naphtha - unspecified Image: Classification (Regulation (EC) No 1272/2008) 232-489-3 649-345-00-4 01-2120261965-45 Flam. Liq. 3, Skin Irrit. 2, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 3; H226 H315 H372 H304 H412 Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics Image: Classification (Regulation (EC) No 1272/2008) 920-750-0 01-2119473851-33 Flam. Liq. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H336 H304 H411 EUH066 Image: Classification (Regulation (EC) Registry) 220-548-6 603-095-00-2 Image: Classification (Regulation (EC) Regulation (Regulation (Regul | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | |
|-----------|---|--------------------------------------|----------|--|
| | Specific Conc. I | imits, M-factors and ATE | | |
| 2807-30-9 | 220-548-6 | 2-(propyloxy)ethanol; EGPE | 1-5 % | |
| | dermal: ATE = | 1100 mg/kg | | |
| 78-96-6 | 201-162-7 | 1-aminopropan-2-ol; isopropanolamine | <2,5 % | |
| | dermal: ATE = 1100 mg/kg; oral: LD50 = 2700 mg/kg | | | |
| 1336-21-6 | 215-647-6 | ammonia | <2,5 % | |
| | STOT SE 3; H3 | 35: >= 5 - 100 | | |

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aromatic hydrocarbons, 15 % - < 30 % aliphatic hydrocarbons.

Further Information

stoddard solvent; Low boiling point naphtha - unspecified: Note P

The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301+P310-P331 shall apply.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing. Call a physician immediately.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician. Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 4 of 13

After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth, spit liquid again. Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Call a physician immediately. Aspiration hazard.

Caution if victim vomits: Risk of aspiration!

4.2. Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Already the smallest quantities that enter the lungs during ingestion or subsequent vomiting, can lead to pulmonary edema or pneumonia.

The following symptoms may occur: diarrhea. Nausea.

Causes skin irritation. Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). BC powder. ABC powder. Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour. Concentrated vapours are heavier than air. Vapours may form explosive mixtures with air.

Closed containers may burst when pressure and temperature rise

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). Irritating/poisonous gasses and vapours

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings. Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not allow to enter into surface water or drains. Contaminated fire-fighting water must be collected separately.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe fume/gas/mist/vapours/spray. Provide adequate ventilation. Keep away from sources of ignition - No smoking. Use explosion-proof equipment. Use non-sparking tools. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up



according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 5 of 13

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). (caution, fire hazard)

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal precautions: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe fume/gas/mist/vapours/spray. Provide adequate ventilation. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Wear personal protection equipment.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Use explosion-proof equipment. Use non-sparking tools. Ground and bond container and receiving equipment.

Advice on general occupational hygiene

Change contaminated clothing. Take off immediately all contaminated clothing and wash it before reuse. Wash hands before breaks and after work. When using do not eat or drink. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Keep locked up. storage temperature: 3,9°C -37,8°C

Further information on storage conditions

Keep away from heat.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|------------------|-----|-------|---------|-----------|--------|
| 8052-41-3 | Stoddard solvent | 100 | 573 | | TWA (8 h) | |



according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 6 of 13

DNEL/DMEL values

| CAS No | Substance | | | |
|-------------|---|----------------|----------|-------------------------|
| DNEL type | | Exposure route | Effect | Value |
| 8052-41-3 | stoddard solvent; Low boiling point naphtha - unspecified | | | |
| Worker DNEL | long-term | inhalation | systemic | 44 mg/m³ |
| Worker DNEL | acute | inhalation | systemic | 55 mg/m³ |
| Worker DNEL | long-term | inhalation | local | 44 mg/m³ |
| Worker DNEL | acute | inhalation | local | 55 mg/m³ |
| Worker DNEL | long-term | dermal | systemic | 80 mg/kg bw/day |
| Worker DNEL | acute | dermal | systemic | 30 mg/kg bw/day |
| Worker DNEL | long-term | dermal | local | 7,56 mg/cm ² |
| | Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics | | | |
| Worker DNEL | long-term | inhalation | systemic | 2035 mg/m³ |
| Worker DNEL | long-term | dermal | systemic | 773 |
| | | | | |

PNEC values

| CAS No | Substance | | | | |
|----------------------|---|--|--|--|--|
| Environmental | Environmental compartment Value | | | | |
| 8052-41-3 | 8052-41-3 stoddard solvent; Low boiling point naphtha - unspecified | | | | |
| Freshwater 0,14 mg/l | | | | | |
| Marine water | 0,35 mg/l | | | | |
| Freshwater sed | 1,14 mg/kg | | | | |
| Marine sedimer | Marine sediment | | | | |

Additional advice on limit values

Currently there are no further exposure limits available.

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation. Provide protection equipment (eye wash bottles, etc.).

Individual protection measures, such as personal protective equipment

Eye/face protection

Tighty fitting safety glasses with side shields. (EN 166)

Hand protection

Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: plastic and rubber (Viton.) EN 374

The exact break-through time must be obtained from the manufacturer of the protective gloves and adhered to. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Full cover clothing covering arms and legs.

Respiratory protection

In case of insufficient ventilation: Wear respiratory protection. (EN 143)



Test method

III BECOTECHNIC

Safety Data Sheet

according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 7 of 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid |
|------------------|-----------------|
| Colour: | clear; yellow |
| Odour: | like: Ammonia |
| Odour threshold: | 5 ppm (Ammonia) |

| | | i cot methou |
|--|-------------------|--------------|
| Melting point/freezing point: | No data available | |
| Boiling point or initial boiling point and | >100 °C | |
| boiling range: | | |
| Flammability: | not determined | |
| Lower explosion limits: | 1,0 vol. % | |
| Upper explosion limits: | 8 vol. % | |
| Flash point: | 25,5 °C | |
| Auto-ignition temperature: | No data available | |
| Decomposition temperature: | No data available | |
| pH-Value: | 10,5 | |
| Viscosity / kinematic: | No data available | |
| Water solubility: | No data available | |
| Partition coefficient n-octanol/water: | No data available | |
| Vapour pressure: (at 37,8 °C) | 226,666 hPa | calculated. |
| Density: | No data available | |
| Relative density: | 0,79 | |
| Relative vapour density: | >1 | |
| 9.2. Other information | | |
| Information with regard to physical hazard classes | | |
| Explosive properties | | |
| No data available | | |
| Self-ignition temperature | | |
| Gas: | No data available | |
| Oxidizing properties | | |
| No data available | | |
| Other safety characteristics | | |
| Sublimation point: | No data available | |
| Softening point: | No data available | |
| Pour point: | No data available | |
| Viscosity / dynamic: | No data available | |
| | | |

Further Information

VOC: 679,7 g/l (calculated.)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactivity under regular conditions.

10.2. Chemical stability

The product is stable under regular conditions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.



according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 8 of 13

10.4. Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Electrostatic charges.

10.5. Incompatible materials

Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Dangerous fire gases such as carbon monoxide or carbon dioxide may be produced

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (dermal) 15714,3 mg/kg

| CAS No | Chemical name | | | | | | | |
|-----------|---------------------------|--------------------------------------|---------|--------|--------|--|--|--|
| | Exposure route | Dose | Species | Source | Method | | | |
| 2807-30-9 | 2-(propyloxy)ethanol; EG | PE | | | | | | |
| | | ATE 1100 mg/kg | | | | | | |
| 78-96-6 | 1-aminopropan-2-ol; isopi | 1-aminopropan-2-ol; isopropanolamine | | | | | | |
| | | LD50 2700 mg/kg | Rat | | | | | |
| | | ATE 1100 mg/kg | | | | | | |

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.Causes damage to organs through prolonged or repeated exposure. (stoddard solvent; Low boiling point naphtha - unspecified)

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 9 of 13

| CAS No | Chemical name | | | | | | | | |
|---------|---------------------------|---|--------|-----------|---------------------|--------|--------|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| | Hydrocarbons, C7-C9, n-a | Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics | | | | | | | |
| | Acute fish toxicity | LL50 mg/l | 3-10 | 96 h | Oncorhynchus mykiss | | | | |
| | Acute crustacea toxicity | EL50 mg/l | 4,6-10 | 48 h | Daphnia | | | | |
| 78-96-6 | 1-aminopropan-2-ol; isopr | opanolamino | e | | | | | | |
| | Acute fish toxicity | LC50 460 mg/l | 220 - | 96 h | Leuciscus idus | IUCLID | | | |
| | Acute crustacea toxicity | EC50 mg/l | 108,8 | 48 h | Daphnia | IUCLID | | | |

12.2. Persistence and degradability

No data available.

| CAS No | Chemical name | | | | | | |
|-----------|---|-------|----|--------|--|--|--|
| | Method | Value | d | Source | | | |
| | Evaluation | | | | | | |
| 8052-41-3 | stoddard solvent; Low boiling point naphtha - unspecified | | | | | | |
| | OECD 301 B | 63% | 28 | | | | |
| | Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics | | | | | | |
| | OECD 301F | 98 | 28 | | | | |

12.3. Bioaccumulative potential

No data available.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|---|---------|
| 8052-41-3 | stoddard solvent; Low boiling point naphtha - unspecified | 5,01 |
| 78-96-6 | 1-aminopropan-2-ol; isopropanolamine | -0,96 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|--------|--|-------|---------|--------|
| | stoddard solvent; Low boiling point naphtha - unspecified | 39,66 | | |

<u>12.4. Mobility in soil</u>

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Disposal according to official regulations.

Consult the local waste disposal expert about waste disposal. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.



III BECOTECHNIC

Safety Data Sheet

according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 10 of 13

List of Wastes Code - residues/unused products

WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES; wastes from the textile 040214 industry; wastes from finishing containing organic solvents; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

UN 1993 14.1. UN number or ID number: 14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.(stoddard solvent; Low boiling point naphtha - unspecified, Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics) 14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 **Special Provisions:** 274 601 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 30 Tunnel restriction code: D/F Inland waterways transport (ADN) UN 1993 14.1. UN number or ID number: 14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (stoddard solvent; Low boiling point naphtha - unspecified, Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics) 14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 Special Provisions: 274 601 Limited quantity: 5 L Excepted quantity: F1 Marine transport (IMDG) 14.1. UN number or ID number: UN 1993 FLAMMABLE LIQUID, N.O.S. (stoddard solvent; Hydrocarbons, C7-C9, 14.2. UN proper shipping name: n-alkanes, isoalkanes, cyclics) 14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3 Special Provisions: 223, 274, 955

Limited quantity:

5 L



according to Regulation (EC) No 1907/2006

| #111 Ultrasonic Watch Cleaning Solution | | | | |
|---|---|---|---------------|--|
| Revision date: 17.04.2023 | Product code: Be | - | Page 11 of 13 | |
| Excepted quantity: | E1 | | | |
| EmS: | F-E, S-E | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | |
| <u>14.1. UN number or ID number:</u> | UN 1993 | | | |
| 14.2. UN proper shipping name: | FLAMMABLE LIQUID, N n-alkanes, isoalkanes, cy | .O.S.(stoddard solvent; Hydrocarbons, C7-C9 vclics) | , | |
| 14.3. Transport hazard class(es): | 3 | | | |
| 14.4. Packing group: | III | | | |
| Hazard label: | 3 | | | |
| | | | | |
| Special Provisions: | A3 | | | |
| Limited quantity Passenger: | 10 L | | | |
| Passenger LQ: | Y344 | | | |
| Excepted quantity: | E1 | | | |
| IATA-packing instructions - Passenger: | 355 | 5 | | |
| IATA-max. quantity - Passenger: | 60 | L | | |
| IATA-packing instructions - Cargo: | 366 | 3 | | |
| IATA-max. quantity - Cargo: | 220 |) L | | |
| 14.5. Environmental hazards | | | | |
| ENVIRONMENTALLY HAZARDOUS: | No | | | |
| 14.6. Special precautions for user | | | | |
| No special precautions known. | | | | |
| 14.7. Maritime transport in bulk according t | o IMO instruments | | | |
| not applicable | | | | |
| SECTION 15: Regulatory information | | | | |
| 15.1. Safety, health and environmental regu | lations/legislation specific | for the substance or mixture | | |
| EU regulatory information | | | | |
| Restrictions on use (REACH, annex XVII) | | | | |
| Entry 3, Entry 29, Entry 40, Entry 75 | | | | |
| Information according to 2012/18/EU | P5c FLAMMABLE LIQUI | DS | | |
| (SEVESO III): | | | | |
| Additional information | | | | |
| Regulation (EC) No. 648/2004 [Deterg Regulation (EC) No 850/2004 on pers Regulation (EC) No 649/2012 of the E | ents regulation]: applicable stent organic pollutants: no uropean Parliament and of ains no chemicals that are | the Council concerning the export and import subject to the export notification procedures | | |

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

National regulatory information





according to Regulation (EC) No 1907/2006

| #111 | Ultrasonic Watch Cleaning Solution | |
|---|---|---------------|
| Revision date: 17.04.2023 | Product code: Beco-001 | Page 12 of 13 |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age. | |
| Water hazard class (D): Additional information | 2 - obviously hazardous to water | |
| Observe in addition any national regulat | ions! | |
| 15.2. Chemical safety assessment | | |
| Chemical safety assessments for substa | ances in this mixture were not carried out. | |
| SECTION 16: Other information | | |
| Changes Version 3,00 - 18.06.2015 Version 4,00 - 04.12.2018 Version 5,00 - 16.08.2022 - Change and Version 6,00 - 17.04.2023 - changes in | d revision of the SDS because of new information / recipe section 2.3,11 | |
| concerning the International Carriage of BImSchV (Fed.Imm.Prot.Act): Directive CAS: Chemical Abstracts Service EC: Effective Concentration EG: European Community (Europäische EN: European Norm IATA: International Air Transport Associ IBC Code: International Code for the Co Bulk ICAO: International Civil Aviation Organ IMDG: International Maritime Code for E CLP: Classification, Labeling, Packaging IUCLID: International Uniform Chemical LC: Lethal concentration LD: Lethal dose log Kow: Octanol/water partition coefficie | on the Implementation of the Federal Immission Protection Act e Gemeinschaft) ation onstruction and Equipment of ships carrying Dangerous Chemicals in ization Dangerous Goods g _ Information Database | |
| OECD: Organisation for Economic Co-o PBT: Persistent, bio-cumulative, toxic RID: Regulation Concerning the Internat TRGS: Technische Regeln für Gefahrste VOC: Volatile Organic Compounds vPvB: very persistent and very bio-cumu VwVwS: Administrative Regulation for V WGK: German Water Hazard Class GHS: Globally Harmonized System of C EINECS: European Inventory of Existing ELINCS: European List of Notified Cher DNEL: Derived No Effect Level PNEC: Predicted No Effect Concentration TLV: Threshold Limiting Value STOT: Specific Target Organ Toxicity | tional Transport of Dangerous Goods by Rail offe ulative Vater Pollutants Classification and Labelling of Chemicals g Commercial Chemical Substances nical Substances | |



according to Regulation (EC) No 1907/2006

#111 Ultrasonic Watch Cleaning Solution

Revision date: 17.04.2023

Product code: Beco-001

Page 13 of 13

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data |
| Asp. Tox. 1; H304 | Calculation method |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| STOT SE 3; H336 | Calculation method |
| STOT RE 1; H372 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|--------|---|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H372 | Causes damage to organs (central nervous system) through prolonged or repeated exposure if inhaled. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Further Information

The information given in this safety data sheet is to describe the product's safety regulations. It is not for guaranteeing certain characteristics and is based on today's knowledge. The safety data sheet was generated upon information of pre-suppliers by:

asseso AG, Ottostraße 1, 63741, Aschaffenburg, Germany Phone: +49 (0)6021 - 1 50 86-0, Fax: +49 (0)6021 - 1 50 86-77, E-Mail: eu-sds@asseso.eu, www.asseso.eu

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)