

Printing date 30.10.2013

\*

\*

Version number 1

1 Identification of the substance/mixture and of the company/undertaking

Revision: 30.10.2013

· Product identifier		
· Trade name: <u>Kupferbad cyanidisch</u> <u>Cyanidic copper bath</u>		
Article number: 3050400502 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation Galvanic bath		
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Wieland Edelmetalle GmbH Schwenninger Str. 13 75179 Pforzheim Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100</li> </ul>		
<ul> <li>Further information obtainable from: Wieland Edelmetalle GmbH www.wieland-edelmetalle.de msds@wieland-edelmetalle.de</li> <li>Emergency telephone number: GIZ-Nord, Göttingen, Germany +49 551 19240 Member of EPECS Network</li> </ul>		
2 Hazards identification		
· Classification of the substance or mixture		
Classification according to Regulation (EC) No 1272/2008		
GHS06 skull and crossbones		
Acute Tox. 3 H301 Toxic if swallowed.		
Acute Tox. 2 H310 Fatal in contact with skin.		
Acute Tox. 3 H331 Toxic if inhaled.		
$\boldsymbol{\wedge}$		
GHS05 corrosion		
Skin Corr. 1C H314 Causes severe skin burns and eye damage.		
Skin Coll. TC 11514 Causes severe skin burns and eye damage.		
GHS09 environment		
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.		
· Classification according to Directive 67/548/EEC or Directive 1999/45/EC		
T+; Very toxic		
R26/27/28: Very toxic by inhalation, in contact with skin and if swallowed.		
C; Corrosive		
R34: Causes burns.		
N; Dangerous for the environment		
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environ (Cont	nment. d. on page 2)	
	GE	



Printing date 30.10.2013

Version number 1

Revision: 30.10.2013

Trade name: Kupferbad cyanidisch Cyanidic copper bath

	(Contd. of page 1)
R31:	Contact with acids liberates toxic gas.
	concerning particular hazards for human and environment:
	has to be labelled due to the calculation procedure of the "General Classification guideline for
	of the EU" in the latest valid version.
· Classificatio	
	cation is according to the latest editions of the EU-lists, and extended by company and literature
data.	
· Label eleme	nte
	ccording to Regulation (EC) No 1272/2008
	is classified and labelled according to the CLP regulation.
· Hazard pict	
$\sim$	$\vee \vee$
GHS05 C	GHS06 GHS09
Signal word	Danger
Hazard-det	ermining components of labelling:
potassium cy	
copper cyani	
Hazard stat	
	Toxic if swallowed or if inhaled.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H411	Toxic to aquatic life with long lasting effects.
Precautiona	ary statements
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303+P361+	+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin
	with water/shower.
P305+P351+	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P361	Remove/Take off immediately all contaminated clothing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Additional i	
	ntact with acids liberates toxic gas.
Other hazaı	
	BT and vPvB assessment
• <b>PBT:</b> Not ap	
• <b>vPvB:</b> Not a	pplicable.
Composit	ion/information on ingredients
Compositi	
Chemical ch	naracterization: Mixtures
	: Mixture of substances listed below with nonhazardous additions.
Dangerous of	
- anger ous t	

· Dangerous components:

\*

(Contd. on page 3) GB



Printing date 30.10.2013

Version number 1

Revision: 30.10.2013

Trade name:	Kupferbad cyanidisch
	Cyanidic copper bath

		(Contd. of page 2)
CAS: 151-50-8	potassium cyanide	5-10%
EINECS: 205-792-3	₩ T+ R26/27/28; ₩ N R50/53 R32	
	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 544-92-3	copper cyanide	1-5%
EINECS: 208-883-6	T+ R26/27/28; K N R50/53	
	R32	
	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 497-19-8	sodium carbonate	1-5%
EINECS: 207-838-8	🗙 Xi R36	
	🕂 Eye Irrit. 2, H319	

• Additional information: For the wording of the listed risk phrases refer to section 16.

#### **4 First aid measures**

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Hazards

Danger of circulatory collapse.

- Danger of impaired breathing.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture Hydrogen cyanide (HCN)
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- $\cdot$  Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

GB



Printing date 30.10.2013

Version number 1

Revision: 30.10.2013

#### Trade name: Kupferbad cyanidisch Cyanidic copper bath

(Contd. of page 3)

#### $\cdot$ Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

 $\cdot$  Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

• Information about fire - and explosion protection: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Do not store together with acids.

Storage class 6.1 B (Non-combustible acutely toxic Cat. 1 and 2 substances)

Only substances of the same storage class should be stored together.

Collocated storage with the following substances is prohibited:

- Pharmaceuticals, foods, and animal feeds including additives.

- Infectious, radioactive und explosive substances.
- Gases.
- Flammable liquids of storage class 3.
- Other explosive substances of storage class 4.1A.
- Flammable solid substances or desensitized substances of storage class 4.1B.
- Spontaneously flammable substances.
- Substances liberating flammable gases in contact with water.
- Strongly oxidizing substances of storage class 5.1A.
- Ammonium nitrate and preparations containing ammonium nitrate.
- Organic peroxides and self reactive substances.

Under certain conditions the collocated storage with the following sub-stances is permitted (For more details see TRGS 510):

- Oxidizing substances of storage class 5.1B.
- Combustible solids of storage class 11.

The substance should not be stored with substances with which ha-zardous chemical reactions are possible. (e.g. acids)

 $\cdot$  Further information about storage conditions:

Keep receptacle tightly sealed.

Store under lock and key and with access restricted to technical experts or their assistants only.

• Storage class: 6.1B

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

GB



Printing date 30.10.2013

Version number 1

Revision: 30.10.2013

Trade name: Kupferbad cyanidisch Cyanidic copper bath

Additional information: 7	he lists valid during the making were used as basis.	(Contd. of page
Exposure controls		
Personal protective equip	ment:	
General protective and h	gienic measures:	
Keep away from foodstuffs		
Immediately remove all soit	led and contaminated clothing	
Wash hands before breaks		
Store protective clothing se		
Avoid contact with the eyes	and skin.	
Respiratory protection:		
	low pollution use respiratory filter device. In case of i	ntensive or longer exposu
use self-contained respirato	ry protective device.	
Short term filter device:		
Filter B Protection of hands:		
(Ma)		
Protective glove	s	
	0	
The glove material has to h	e impermeable and resistant to the product/ the substance	e/ the preparation
Material of gloves	e impermeasie and resistant to the product/ the substance	e, ale proputation.
Butyl rubber, BR		
Nitrile rubber, NBR		
Fluorocarbon rubber (Vitor	1)	
Chloroprene rubber, CR	,	
· ·	e gloves does not only depend on the material, but also	on further marks of quali
	urer to manufacturer. As the product is a preparation	
resistance of the glove mat	erial can not be calculated in advance and has therefor	e to be checked prior to the
application.		
Penetration time of glove		
	he has to be found out by the manufacturer of the prot	ective gloves and has to l
observed.		
	ade of the following materials:	
Leather gloves		
Strong material gloves		
Eye protection:		
Tightly sealed g	oggles	
Body protection: Protectiv	e work clothing	
2003 <b>F</b> 10000000		
Physical and chemica	l properties	
General Information	sical and chemical properties	
Appearance:		
Form:	Fluid	
Colour:	Colourless	
Odour:	Characteristic	
pH-value at 20 °C:	12	
Pri vulue at 20 Ci		(0 1
		(Contd. on page



Printing date 30.10.2013

Version number 1

Revision: 30.10.2013

#### Trade name: Kupferbad cyanidisch Cyanidic copper bath

		(Contd. of page
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>		
· Flash point:	Not applicable.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Density at 20 °C:	1.04 g/cm <sup>3</sup>	
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
· Solvent content: Organic solvents:	0.0 %	
Water: • Other information	>85 % No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  Possibility of hazardous reactions Contact with acids releases toxic gases.
- $\cdot$  Conditions to avoid No further relevant information available.
- $\cdot$  Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Hydrogen cyanide (prussic acid)

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

#### 151-50-8 potassium cyanide

- Oral LD50 5 mg/kg (rat)
  - LDLO 2.86 mg/kg (human) (RTECS)

#### 544-92-3 copper cyanide

- Oral LD50 126 mg/kg (rat)
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye: Strong caustic effect.
- $\cdot$  Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

- Toxic
- Corrosive Danger through skin adsorption.
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of
- esophagus and stomach.

(Contd. on page 7)

GB



Printing date 30.10.2013

\*

Version number 1

Revision: 30.10.2013

#### Trade name: Kupferbad cyanidisch Cyanidic copper bath

(Contd. of page 6)

GB

· Toxici	·
-	ic toxicity:
151-5(	)-8 potassium cyanide
EC50	2 mg/l (48h) (Daphnia magna (water flea))
	1.8-1.9 mg/l (72h) (Eutosiphon sulcatum) (CN)
IC50	0.03 mg/l (8d) (Sc.quadricauda)
LC50	0.45 mg/l (96h) (Lepomis macrochirus (bluegrill))
Persis	tence and degradability No further relevant information available.
Behav	iour in environmental systems:
	cumulative potential No further relevant information available.
	ity in soil No further relevant information available.
	xical effects:
Rema	rk: Toxic for fish
	ional ecological information:
	al notes:
Also p	oisonous for fish and plankton in water bodies.
Water	danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not	allow product to reach ground water, water course or sewage system, even in small quantities.
Dange	r to drinking water if even extremely small quantities leak into the ground.
	s of PBT and vPvB assessment
	Not applicable.
	Not applicable.
	adverse effects No further relevant information available.
Dispo	osal considerations
-	treatment methods
	mendation
	not be disposed together with household garbage. Do not allow product to reach sewage system.
	et manufacturer for recycling information.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. • **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

· UN-Number	
ADR, IMDG, IATA	UN1935
· UN proper shipping name	
ADR	1935 CYANIDE SOLUTION, N.O.S. (POTASSIUM
	CYANIDE, COPPER CYANIDE), ENVIRONMENTALL
	HAZARDOUS
· IMDG	CYANIDE SOLUTION, N.O.S., MARINE POLLUTANT
· IATA	CYANIDE SOLUTION, N.O.S.



Printing date 30.10.2013

Version number 1

Revision: 30.10.2013

Trade name:	Kupferbad cyanidisch
	Cyanidic copper bath

	(Contd. of page
· Transport hazard class(es)	
· ADR	
· Class · Label	<ul><li>6.1 (T4) Toxic substances.</li><li>6.1</li></ul>
· IMDG	
· Class	6.1 Toxic substances.
· Label	6.1
· IATA	
· Class · Label	6.1 Toxic substances. 6.1
	0.1
· Packing group · ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
• Special precautions for user	Warning: Toxic substances.
Danger code (Kemler):	60
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
ADR	
· ADK · Limited quantities (LQ)	5L
· Transport category	2
Tunnel restriction code	E
· IMDG	
Remarks:	(POTASSIUM CYANIDE, COPPER CYANIDE)
UN "Model Regulation":	UN1935, CYANIDE SOLUTION, N.O.S. (POTASSIUN CYANIDE, COPPER CYANIDE), ENVIRONMENTALL

(Contd. on page 9)



Printing date 30.10.2013

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1

Revision: 30.10.2013

#### Trade name: Kupferbad cyanidisch Cyanidic copper bath

(Contd. of page 8)

### **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- · National regulations:
- · Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H300 Fatal if swallowed.

- H310 Fatal in contact with skin.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

R26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

- R32 Contact with acids liberates very toxic gas.
- R36 Irritating to eyes.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Contact: Herr Marcus Müller
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

- ICAO: International Civil Aviation Organization
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
- Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- \* Data compared to the previous version altered.