

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2013

Version number 1

Revision: 26.02.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name:

Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S Reinigungssalz
Electrolytic degreaser ZFM (make-up salt), Electrolytic degreaser ZFM cyanide-free, Puro S - universal
alkaline cleaner (powder)

· **Article number:** 3040400203, 3040400103, 3020400103

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation

Degreasing agent
Ultrasonic cleaner

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wieland Edelmetalle GmbH
Schwenninger Str. 13
75179 Pforzheim
Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100

· Further information obtainable from:

msds@wieland-edelmetalle.de
Wieland Edelmetalle GmbH
www.wieland-edelmetalle.de

· Emergency telephone number:

GIZ-Nord, Göttingen, Germany
+49 551 19240
Member of EPECS Network

2 Hazards identification

· Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.



Xi; Irritant

R37: Irritating to respiratory system.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.02.2013

Version number 1

Revision: 26.02.2013

Trade name: Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S Reinigungssalz

(Contd. of page 1)

· **Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labelling:**

disodium metasilicate

· **Hazard statements**

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 497-19-8 EINECS: 207-838-8	sodium carbonate ☒ Xi R36 ⚠ Eye Irrit. 2, H319	25-50%
CAS: 6834-92-0 EINECS: 229-912-9	disodium metasilicate ☒ C R34; ☒ Xi R37 ⚠ Skin Corr. 1B, H314; ⚠ STOT SE 3, H335	25-50%
CAS: 61791-14-8	Coconut amine ethoxylate ☒ Xn R22; ☒ Xi R36; ☒ N R51/53 ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	≤ 1%
CAS: 64425-86-1	Alcohols, C13-15, ethoxylated ☒ Xn R22; ☒ Xi R41; ☒ N R50 ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤ 1%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2013

Version number 1

Revision: 26.02.2013

**Trade name: Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S
Reinigungssalz**

(Contd. of page 2)

4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Inform doctor. Do not give milk or fatty oils.
Do not induce vomiting; call for medical help immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Hazards** Danger of gastric perforation.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Avoid formation of dust.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Pick up mechanically.
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Prevent formation of dust.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.02.2013

Version number 1



Revision: 26.02.2013

Trade name: Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S Reinigungssalz

(Contd. of page 3)

- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in dry conditions.
- **Storage class:** 8 A
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
Use suitable respiratory protective device in case of insufficient ventilation.
Filter P2
- **Protection of hands:**
-  Protective gloves
 - **Material of gloves**
Butyl rubber, BR
Fluorocarbon rubber (Viton)
Chloroprene rubber, CR
Nitrile rubber, NBR
PVC gloves
 - **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
-  Tightly sealed goggles
 - **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- | | |
|----------------|---------|
| Form: | Solid |
| Colour: | Whitish |

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.02.2013

Version number 1

Revision: 26.02.2013

Trade name: Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S Reinigungssalz

(Contd. of page 4)

· Odour:	Characteristic
· pH-value (10 g/l) at 20 °C:	11.7 - 12.3
· Change in condition Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Oxidizing properties	None
· Density:	-
· Solubility in / Miscibility with water:	Easily soluble.
· Solvent content: Organic solvents:	0.0 %
Solids content:	100 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Exothermic reaction with acids.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

497-19-8 sodium carbonate

Oral	LD50	4000 mg/kg (rat)
------	------	------------------

6834-92-0 disodium metasilicate

Oral	LD50	1280 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Corrosive
Irritant

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.02.2013

Version number 1

Revision: 26.02.2013

Trade name: Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S Reinigungssalz

(Contd. of page 5)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.


12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must be specially treated adhering to official regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**
Packaging may be reused or recycled after cleaning.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- | | |
|---|---|
| · UN-Number | |
| · ADR, IMDG, IATA | UN3253 |
| · UN proper shipping name | |
| · ADR | 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
(DISODIUM TRIOXOSILICATE) |
| · IMDG, IATA | DISODIUM TRIOXOSILICATE |
| · Transport hazard class(es) | |
| · ADR | |
|  | |
| · Class | 8 (C6) Corrosive substances. |

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31


Printing date 26.02.2013

Version number 1

Revision: 26.02.2013

Trade name: Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S Reinigungssalz

(Contd. of page 6)

· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· Packing group	
· ADR, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	
· Danger code (Kemler):	Warning: Corrosive substances. 80
· EMS Number:	F-A,S-B
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Not applicable.	
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5kg
· Transport category	3
· Tunnel restriction code	E
· UN "Model Regulation":	UN3262, CORROSIVE SOLID, BASIC, INORGANIC, N.O.S., 8, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

* 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R34 Causes burns.
- R36 Irritating to eyes.
- R37 Irritating to respiratory system.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2013

Version number 1

Revision: 26.02.2013

**Trade name: Elektrolytische Entfettung ZFM Ansatzsalz, Elektrol. Entfettung ZFM CN-frei, Puro S
Reinigungssalz**

(Contd. of page 7)

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Contact:** Herr Marcus Müller

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· *** Data compared to the previous version altered.**

GB